

PO Box 7565 Asheville, NC 28802 Phone: (828) 350-9364 Fax: (828) 350-9368

E-mail: Jim@etsnclab.com

March 19, 2010

Dr. Rick Sherrard Tennessee Valley Authority 1101 Market Street, PSC 1X-C Chattanooga, TN 37402

RE: ETS PROJECT NUMBER: 6060

Dear Dr. Sherrard:

Enclosed are toxicity test results for samples in support of the **Kingston Fly Ash Recovery Project** received by Environmental Testing Solutions, Inc. on March 10, 2010.

All unusual observations or deviations from standard test protocols are documented on the laboratory bench sheets. If you have any questions concerning these results, please feel free to contact me.

Sincerely,

Jim Sumner

Laboratory Director

CC: Dr. William Rogers, Tennessee Valley Authority



ENVIRONMENTAL TESTING SOLUTIONS, INC. TOXICITY TEST REPORT

INTRODUCTION / EXECUTIVE SUMMARY

Report Date: March 19, 2010

ETS Project #: 6060

1. Client:

Tennessee Valley Authority

2. Study:

Kingston Fossil Plant, Fly Ash Recovery Project

3. Samples Tested:

Stilling Pond Outfall 001, Emory River Dredge Plume,

<u>Unaffected Emory River Water (ERM 12.2)</u>

4. Date Samples Received:

March 10, 2010

METHODS SUMMARY (see Appendix A for Additional Test Information)

Samples:

1. Sample Type:

Grab samples of Emory River Dredge Plume and ERM12.2 and 24-hour composite samples of Stilling Pond Outfall 001 were collected.

2. Sample Transportation, Storage, and Manipulation:

Samples were placed in ice chests on ice immediately after collection, where they remained during transport to Environmental Testing Solutions, Inc. by private courier. All samples were received at < 6.0°C and were refrigerated at < 6.0°C when not in use.

Aliquots of these samples, needed to prepare all test dilutions, were warmed to test temperature (25.0 ± 1.0 °C) in a warm water bath immediately prior to use.

Sufficient volumes of each dilution were prepared to split the test concentrations between the Daphnid and fathead minnow tests.

Aliquots of each dilution were also UV treated. Fish pathogens present in upstream river water have been the suspected cause of test interferences (anomalous dose response and high variability among replicates) in previous toxicity testing at the Kingston Fossil Plant. These aliquots were UV-treated through a 40-watt Smart[®] UV Sterilizer (manufactured by Emperor Aquatics, Inc.) for 2 to 5 minutes (dependent on sample turbidity).



Test Organisms:

<u>Pimephales promelas</u> <u>Ceriodaphnia dubia</u>

1.Source:Aquatox, Inc.In-house Cultures2.Age:< 24-hours old</td>< 24-hours old</td>

Test Conditions Summary:

1681 00	nations Summary.		
1.	Test Type/Conditions:	Static Acute, Renewal at 48-hours	Static Acute, Renewal at 48-hours
2.	Test Duration:	96-hours	96-hours
3.	Test Temperature:	$25.0 \pm 1.0^{\circ}$ C	$25.0 \pm 1.0^{\circ}$ C
4.	Light Quality:	Wide-spectrum fluorescent lighting	Wide-spectrum fluorescent lighting
5.	Light Intensity:	50 - 100 ft-c	50 - 100 ft-c
6.	Photoperiod:	16-hours light, 8-hours dark	16-hours light, 8-hours dark
7.	Test Chamber Size/Type:	500 mL plastic disposable cup	40 mL polypropylene cups
8.	Test Solution Volume:	200 mL	35 mL
9.	Number of Replicates:	<u>5</u>	<u>5</u>
10.	Number of Organisms	_	_
	per Replicate:	<u>10</u>	<u>5</u>
11.	Number of Organisms		_
	per Test Concentration:	<u>50</u>	<u>25</u>
12.	Feeding regime:	Fed newly hatched <i>Artemia</i>	Fed YWT and Selenastrum
		in holding prior to test initiation	in holding prior to test initiation
		and 2-hours prior to test solution	and 2-hours prior to test solution
		renewal at 48-hours.	renewal at 48-hours.
13.	Aeration:	None	None
14.	Control / Dilution Water:	<u>Unaffected Emory River Water</u>	Unaffected Emory River Water
		(ERM 12.2)	(ERM 12.2)
15.	Laboratory QC:	Moderately Hard Synthetic Water	Moderately Hard Synthetic Water
16.	Test Chamber Cleaning:	None	None
17.	Test Concentrations (%):	100, 50, 25, 12.5, 6.25, 0 (river control),	100, 50, 25, 12.5, 6.25,
		MHSW	0 (river control), MHSW
18.	Sample Holding Time:	First use \leq 36-hours	First use ≤ 36-hours
19.	Endpoints:	Survival	Survival
20.	Test Acceptability		
	Criteria:	≥ 90% survival in river control	≥ 90% survival in river control
		and negative control	and negative control
21.	Physical / Chemical		
	Measurements:	Alkalinity, hardness, and total residual chlor	
		strength sample tested. Daily temperatures	
		each test concentration. Pre-exposure test se	olutions were analyzed at test

22. Statistics:

strength sample tested. Daily temperatures were measured in one replicate for each test concentration. Pre-exposure test solutions were analyzed at test initiation and at the 48-hour renewal for pH, conductivity, and dissolved oxygen. Post-exposure test solutions were analyzed daily for pH and dissolved oxygen.

Statistics were performed according to methods prescribed by EPA using ToxCalc version 5.0.23F statistical software (Tidepool Scientific

Software, McKinneyville, CA).



TOXICITY TEST RESULTS

1. Sample:

Emory River Dredge Plume (see Appendix B for ToxCalcTM Statistics Reports)

Collection Date: March 09, 2010

Test Dates:

March 10 - 14, 2010

96-hour Survival:

Non-treated Sample:

Ceriodaphnia dubia: $\underline{NOEC} = 100\%$ Pimephales promelas: $\underline{NOEC} = 100\%$

UV-treated Sample:

Pimephales promelas: NOEC = 100%

2. Sample:

Stilling Pond Outfall 001 (see Appendix C for ToxCalcTM Statistics Reports)

Collection Date: March 09, 2010

Test Dates:

March 10 - 14, 2010

96-hour Survival:

Non-treated Sample:

Ceriodaphnia dubia: $\underline{NOEC} = 100\%$ Pimephales promelas: $\underline{NOEC} = 100\%$

UV-treated Sample:

Pimephales promelas: NOEC = 100%



APPENDIX A ADDITIONAL TOXICITY TEST INFORMATION

DEVIATIONS / MODIFICATIONS TO TEST PROTOCOL

1. Pimephales promelas

Minnow were < 24-hours old at test initiation.

2. Ceriodaphnia dubia

None

DEVIATIONS / MODIFICATIONS TO PRETEST CULTURE OR HOLDING OF TEST ORGANISMS

1. Pimephales promelas

None

2. Ceriodaphnia dubia

None

PHYSICAL AND CHEMICAL METHODS

- 1. Reagents, Titrants, Buffers, etc.: All chemicals were certified products used before expiration dates.
- 2. Instruments: All identification, service, and calibration information pertaining to laboratory instruments is recorded in calibration and maintenance logbooks.
- 3. Temperature was measured by SM 2550 B.
- 4. Dissolved oxygen was measured by SM 4500 O G.
- 5. The pH was measured by SM 4500 H+ B.
- 6. Conductance was measured by SM 2510 B.
- 7. Alkalinity was measured by SM 2320 B.
- 8. Total hardness was measured by SM 2340 C.
- 9. Total residual chlorine was measured by ORION Electrode Method 97-70.

QUALITY ASSURANCE

Toxicity Test Methods: All phases of the study including, but not limited to, sample collection, handling and storage, glassware preparation, test organism culturing/acquisition and acclimation, test organism handling during test, and maintaining appropriate test conditions were conducted according to the protocol as described in this report and EPA-821-R-02-012. Any known deviations were noted during the study and are reported herein.

REFERENCE TOXICANT TESTS (reference toxicant data is available upon request)

1. Test Type: 48-hour acute tests with results expressed as LC₅₀ values in g/L KCl or NaCl.

2. Standard Toxicant: Potassium Chloride (KCl crystalline) for *Pimephales promelas*.

Sodium Chloride (NaCl crystalline) for Ceriodaphnia dubia.

3. Dilution Water Used: Moderately hard synthetic water.

4. Statistics: ToxCalc software Version 5.0 was used for statistical analyses.

REFERENCES

- 1. USEPA. <u>Short-Term Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters to Freshwater and Marine Organisms</u>, EPA-821-R-02-012 (October 2002).
- 2. Standard Methods for the Examination of Water and Wastewater, 21st Edition, 2005.
- 3. Quality Assurance Program: Standard Operating Procedures, Environmental Testing Solutions, Inc.



APPENDIX B

ToxCalcTM v5.0.23F Statistics Report for *Ceriodaphnia dubia* and *Pimephales promelas*96-hour Acute Toxicity Tests of TVA Kingston Fossil Plant, Emory River Dredge Plume
March 10 – 14, 2010

Environmental Testing Solutions, Inc. Project # 6060



Ceriodaphnia dubia 96-Hour Acute Toxicity Test for Non-treated Emory River Dredge Plume March 10-14,2010

					Acute Daphn	id Test-96	Hr Survival				
Start Date:	3/10/2010	-	Test ID:	6060			Sample ID:		KIF, Emory River	Dredge Plume	
End Date:	3/14/2010	l	Lab ID:	ETS-Envir. To	esting Sol.		Sample Type:		Non-treated Grab		
Sample Date:	3/9/2010	1	Protocol:	ACUTE-EPA	-821-R-02-01	2	Test Species:		CD-Ceriodaphnia d	lubia	
Comments:	1 Dredge Pl	ume grab sar	nple for day	0 (initiation	and day 2 (re	enewal)	-		-		
Conc-%	1	2	3	4	5			_			
M HSW-Control	1.0000	1.0000	1.0000	1.0000	1.0000			•			
ERM-Control	1.0000	1.0000	1.0000	1.0000	1.0000						
6.25	1.0000	1.0000	1.0000	1.0000	1.0000						
12.5	1.0000	1.0000	1.0000	1.0000	1.0000						
25	1.0000	1.0000	1.0000	1.0000	1.0000						
50	1.0000	1.0000	1.0000	1.0000	1.0000						
100	1.0000	1.0000	1,0000	1.0000	1.0000						
Transform: Arcsin Square I								Rank	1-Tailed		
Conc-%	M ean	N-M ean	M ean	M in	Max	CV%	N	Sum	Critical		
MHSW-Control		1.0000	1.3453	1.3453	1.3453	0.000	5				
ERM-Control		1.0000	1.3453	1.3453	1.3453	0.000	5				
6.25		1,0000	1.3453	1.3453	1.3453	0.000	5	27.50	16.00		
12.5		1.0000	1.3453	1,3453	1.3453	0.000	5	27.50	16.00		
25		1.0000	1.3453	1.3453	1.3453	0.000	5	27.50	16.00		
50		1.0000	1.3453	1.3453	1.3453	0.000	5	27.50	16.00		
100	1.0000	1.0000	1.3453	1.3453	1.3453	0.000	5	27.50	16.00		
uxiliary Tests							Statistic	i	Critical	Skew	Kur
hapiro-Wilk's Tes	t indicates nor	mal distributio	on (p > 0.01))			1		0.9		
quality of varianc	e cannot be con	nfirmed									
he control means	are not signific	antly differen	t (p = 1.00)				0		2.3060041		
Iypothesis Test (1	l-tail, 0.05)		NOEC	LOEC	ChV	TU					
teel's Many-One	Rank Test		100	>100		1					
Treatments vs ER	M-Control										

Pimephales promelas 96-Hour Acute Toxicity Test for Non-treated Emory River Dredge Plume March 10-14,2010

				Acut	te Fathead Minnow	Test-96 Hr Survival	
Start Date:	3/10/2010	T	est ID:	6060		Samp le ID:	KIF, Emory River Dredge Plume
End Date:	3/14/2010	L	ab ID:	ETS-Envir. Tes	sting Sol.	Sample Type:	Non-treated Grab
Sample Date:	3/9/2010	Pı	rotocol:	ACUTE-EPA-	821-R-02-012	Test Species:	PP-Pimephales promelas
Comments:	1 Dredge Plui	me grab sam	ple for day	0 (initiation)	and day 2 (renewa	ıl)	
Conc-%	1	2	3	4	5		
M HSW-Control	1.0000	1.0000	1.0000	1.0000	1.0000		
ERM-Control	1.0000	1.0000	1.0000	1.0000	1.0000		
6.25	1.0000	1.0000	1.0000	1.0000	1.0000		
12.5	1.0000	1.0000	1.0000	1.0000	1.0000		
25	1.0000	1.0000	1.0000	1.0000	1.0000		
50	1,0000	1.0000	1.0000	1.0000	1.0000		
100	1.0000	1.0000	1.0000	1.0000	1.0000		

				Transform	: Arcsin Squa	Rank	1-Tailed		
Conc-%	M ean	N-Mean	M ean	M in	Max	CV%	N	Sum	Critical
MHSW-Control	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5		
ERM-Control	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5		
6.25	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5	27.50	16.00
12.5	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5	27.50	16.00
25	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5	27.50	16.00
50	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5	27.50	16.00
100	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5	27.50	16.00

Auxiliary Tests					Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal dist	ribution (p > 0.01)			1	0.9		
Equality of variance cannot be confirmed								
The control means are not significantly di	fferent $(p = 1.00)$				0	2.3060041		
Hypothesis Test (1-tail, 0.05)	NOEC	LOEC	ChV	TU				
Steel's Many-One Rank Test	100	>100		1				
Treatments vs ERM-Control								



Pimephales promelas 96-Hour Acute Toxicity Test for UV-treated Emory River Dredge Plume March 10-14,2010

Start Date:	2/10/2010		F . ID		ite Fathead M	innow Test	-96 Hr Surviva				
	3/10/2010			6060			Sample ID:		KIF, Emory River D	redge Plume	
End Date:	3/14/2010			ETS-Envir. Te	U		Sample Type:		UV-treated Grab		
Sample Date:	3/9/2010			ACUTE-EPA		_	Test Species:		PP-Pimephales pror	nelas	
Comments:	1 Dredge Pl			0 (initiation)		enewal)		_			
Conc-%	1	2	3	4	5						
M HSW-Contro		1.0000	1.0000	1.0000	1.0000						
ERM-Contro		1.0000	1.0000	1.0000	1.0000						
6,25		1.0000	1,0000	1.0000	1.0000						
12.5		1.0000	1.0000	1.0000	1.0000						
25		1.0000	1.0000	1.0000	1.0000						
50	1.0000	1.0000	1.0000	1.0000	1.0000						
100	1.0000	1.0000	1.0000	1.0000	1.0000						
		_			: Arcsin Squa	re Root		Rank	1-Tailed		
Conc-%	M ean	N-M ean	M ean	M in	M ax	CV%	N	Sum	Critical		
M HSW-Control		1.0000	1.4120	1.4120	1.4120	0.000	5				
ERM-Control	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5				
6.25	1.0000	1,0000	1.4120	1.4120	1.4120	0.000	5	27.50	16.00		
12.5	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5	27.50	16.00		
25	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5	27.50	16.00		
50	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5	27.50	16.00		
100	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5	27.50	16.00		
Auxiliary Tests							Statistic		Critical	Skew	Kurt
hapiro-Wilk's Tes	t indicates nor	mal distributio	n (p > 0.01)				1		0.9		
quality of varianc			· · · · · · · · · · · · · · · · · · ·				-		, ***		
he control means			(p = 1.00)				0		2.3060041		
(ypothesis Test (, , , , , , , , , , , , , , , , , , , ,	NOEC	LOEC	ChV	TU	-				
teel's Many-On			100	>100		1					
reatments vs ER						-					



APPENDIX B

ToxCalcTM v5.0.23F Statistics Report for *Ceriodaphnia dubia* and *Pimephales promelas* 96-hour Acute Toxicity Tests of TVA Kingston Fossil Plant, <u>Stilling Pond Outfall 001</u> March 10 – 14, 2010

Environmental Testing Solutions, Inc. Project # 6060



Ceriodaphnia dubia 96-Hour Acute Toxicity Test for Non-treated Stilling Pond Outfall 001 March 10-14,2010

teel's Many-On			100	>100		1				**	
Typothesis Test (NOEC	LOEC	ChV	TU			4.500041		
he control means			it (n = 1.00)				0		2.3060041		
quality of variance			on (p > 0.01)	1			1		0.9		
hap iro-Wilk's Tes	t indicates no	mal distributi	on (n > 0.01)				1			SKEW	Kurt
uxiliary Tests							Statistic		Critical	Skew	Kurt
							_	3,,,,,			
100	1.0000	1.0000	1.3453	1.3453	1.3453	0.000	5	27.50	16.00		
50	1.0000	1.0000	1.3453	1.3453	1.3453	0.000	5	27.50	16.00		
25	1.0000	1.0000	1.3453	1.3453	1.3453	0.000	5	27.50	16.00		
12,5	1.0000	1.0000	1.3453	1.3453	1.3453	0.000	5	27.50	16.00		
6.25	1.0000	1.0000	1.3453	1.3453	1.3453	0.000	5	27.50	16.00		
ERM-Control		1.0000	1.3453	1.3453	1.3453	0.000	5				
MHSW-Control	1.0000	1,0000	1,3453	1.3453	1.3453	0.000	N	Suiti	CHICAL		
Conc-%	Mean	N-Mean -	M ean	M in	: Arcsin Squa Max	CV%	N	Rank Sum	1-Tailed Critical		
***************************************				ТС.	. A	D		- 5 1	1 77 1	· · · · · · · · · · · · · · · · · · ·	
100	1.0000	1.0000	1.0000	1.0000	1.0000						
50	1.0000	1.0000	1.0000	1.0000	1.0000						
25	1.0000	1.0000	1.0000	1.0000	1.0000						
12.5	1.0000	1.0000	1.0000	1.0000	1.0000						
6.25	1.0000	1.0000	1.0000	1.0000	1.0000						
ERM -Control	1.0000	1.0000	1.0000	1.0000	1.0000						
MHSW-Control	1.0000	1.0000	1.0000	1.0000	1.0000						
Conc-%	1	2	3	4	5	i) und duj 2	(Tenewar)				
Comments:	1 Stilling P			ample for day		_			CD CCHOCUPILING CO.		
Sample Date:	3/9/2010	I		ACUTE-EPA	-	2	Test Species:		CD-Ceriodaphnia dubi		
End Date:	3/14/2010			ETS-Envir. Te	esting Sol.		Sample Type:		Non-treated 24-hour C		
tart Date:	3/10/2010		Γest ID:	6060			Sample ID:		KIF, Stilling Pond Out	⊬fall ∩∩1	

Pimephales promelas 96-Hour Acute Toxicity Test for Non-treated Stilling Pond Outfall 001 March 10 – 14, 2010

				Acui	te Fathead Minnow	Test-96 Hr Survival	
Start Date:	3/10/2010	T	est ID:	6060		Sample ID:	KIF, Stilling Pond Outfall 001
End Date:	3/14/2010	L	ab ID:	ETS-Envir. Tes	sting Sol.	Sample Type:	Non-treated 24-hour Composite
Sample Date:	3/9/2010	P	rotocol:	ACUTE-EPA-	821-R-02-012	Test Species:	PP-Pimephales promelas
Comments:	1 Still Pond I	Ifluent com	posite sam	ple for day 0 (i	nitiation) and day	2 (renewal)	• •
Conc-%	1	2	3	4	5		· · · · · · · · · · · · · · · · · · ·
MHSW-Control	1.0000	1.0000	1.0000	1.0000	1.0000		
ERM -Control	1.0000	1.0000	1.0000	1.0000	1.0000		
6.25	1.0000	1.0000	1.0000	1.0000	1.0000		
12.5	1.0000	1.0000	1.0000	1.0000	1.0000		
25	1.0000	1.0000	1.0000	1.0000	1.0000		
50	1.0000	1.0000	1.0000	1.0000	1.0000		
100	1.0000	1.0000	1.0000	1.0000	1.0000		

	,	_		Transform	: Arcsin Squa	re Root		Rank	1-Tailed	
Conc-%	Mean	N-Mean	M ean	M in	Max	CV%	N	Sum	Critical	
MHSW-Control	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5			
ERM -Control	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5			
6.25	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5	27.50	16.00	
12.5	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5	27.50	16.00	
25	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5	27.50	16.00	
50	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5	27.50	16.00	
100	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5	27.50	16.00	

Auxiliary Tests					Statistic	Critical	Skew	Kurt
Shap iro-Wilk's Test indicates normal dis	tribution $(p > 0.0)$	l)			1	0.9		
Equality of variance cannot be confirmed								
The control means are not significantly of	lifferent (p = 1.00))			0	2.3060041		
Hypothesis Test (1-tail, 0.05)	NOEC	LOEC	ChV	ŤÜ				
Steel's Many-One Rank Test	100	>100		1		·····		
Treatments vs ERM-Control								



Pimephales promelas 96-Hour Acute Toxicity Test for UV-treated Stilling Pond Outfall 001 March 10-14,2010

				Acu	ite Fathead M	innow Test	-96 Hr Surviva	1			
Start Date:	3/10/2010		Test ID:	6060			Sample ID:		KIF, Stilling Pond	Outfall 001	
End Date:	3/14/2010	1	Lab ID:	ETS-Envir. Te	sting Sol.		Sample Type:		UV-treated 24-hou	ır Composite	
Sample Date:	3/9/2010]	Protocol:	ACUTE-EPA	-821-R-02-01	2	Test Species:		PP-Pimephales pro	omelas	
Comments:	1 Still Pond	Effluent con	nposite sam	ple for day 0 (initiation) a	nd day 2 (re	newal)				
Conc-%	1	2	3	4	5						
MHSW-Contro	1 1.0000	1.0000	1.0000	1.0000	1.0000						
ERM -Contro	1 1.0000	1.0000	1.0000	1.0000	1.0000						
6.25	1.0000	1.0000	1.0000	1.0000	1.0000						
12.5	1.0000	1.0000	1.0000	1.0000	1.0000						
25	1.0000	1.0000	1.0000	1.0000	1.0000						
50	1.0000	1.0000	1.0000	1.0000	1.0000						
100	1.0000	1.0000	1.0000	1.0000	0.9000						
				Transform	: Arcsin Squa	re Root		Rank	1-Tailed		
Conc-%	Mean	N-Mean	M ean	Min	Max	CV%	N	Sum	Critical		
MHSW-Contro	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5		-		
ERM -Contro	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5				
6.25	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5	27.50	16.00		
12,5	1.0000	1,0000	1.4120	1.4120	1.4120	0.000	5	27.50	16.00		
25	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5	27.50	16.00		
50	1.0000	1.0000	1,4120	1.4120	1.4120	0.000	5	27.50	16.00		
100		0.9800	1.3794	1.2490	1.4120	5.284	5	25.00	16.00		
100		0.9800	1.3794	1.2490	1.4120	5.284		25.00		Skow	Vivet
100 Auxiliary Tests	0.9800	W.			1.4120	5.284	Statistic	25.00	Critical	Skew 2 8705125	Kurt
100 Auxiliary Tests Shapiro-Wilk's Te	0.9800	n-normal distr			1,4120	5.284		25.00		Skew -3.8705125	
100 Auxiliary Tests Shap iro-Wilk's Te Equality of varian	0.9800 est indicates not ce cannot be co	n-normal distr	ibution (p <=	= 0.01)	1.4120	5.284	Statistic 0.4161324	25.00	Critical 0.9		
100 Auxiliary Tests Shapiro-Wilk's Te Equality of varian The control means	0.9800 est indicates not ce cannot be co	n-normal distr	ibution (p <=	= 0.01)			Statistic	25.00	Critical		
100 Auxiliary Tests Shap iro-Wilk's Te Equality of varian	o 0.9800 est indicates noi ce cannot be co s are not signifi (1-tail, 0.05)	n-normal distr	ibution (p <= nt (p = 1.00)	= 0.01)	1.4120 ChV	5.284 TU	Statistic 0.4161324	25.00	Critical 0.9		Kurt 19.85119